

Google

network flow model source node sink node str

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 133,000 for **network flow model source node sink node strongly connected cor**

Apparatus and method for automatically parallelizing network ...

In one embodiment, **strongly connected components (SSC) nodes** of CFG 420 of FIG. ...

Flow network model includes a unique **source node** and a unique **sink node** ...

www.freepatentsonline.com/20050108696.html - 60k - [Cached](#) - [Similar pages](#)

[PDF] A Theoretic Model for Edge-based Flow Control

File Format: PDF/Adobe Acrobat - [View as HTML](#)

connected to node 7 with a link of 15Mbps, **node 7 to node 3** with 25Mbps. and so on. ...

Create traffic **source/sink**. • Transmit application-level data ...

www.ecse.rpi.edu/Hompages/shivkuma/teaching/fall2002/exp2002-lab2.pdf -

[Similar pages](#)

[PDF] Symbolic debugging of embedded hardware and software - Computer ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

flow network. Original hypergraph consists of four **nodes**: v1, v2, v3, and v4, into a set of **strongly connected components (SCCs)** using the ...

research.microsoft.com/users/darkok/papers/TCAD-symbolic.pdf - [Similar pages](#)

[PDF] Automatically Partitioning Packet Processing Applications for ...

File Format: PDF/Adobe Acrobat

In addition to the unique **source** and **sink nodes** (step 1.6.1) and. program **nodes** that ...

nodes and **control nodes** are introduced in the **flow network** for ...

portal.acm.org/ft_gateway.cfm?id=1065039&type=pdf - [Similar pages](#)

An Analytical Model for Wireless Sensor Networks with Sleeping Nodes

Therefore, a sensor may be both a data **source** and a data router. We considered a sensor **network** where **nodes** send their data to a **sink node** by using ...

doi.ieeecomputersociety.org/10.1109/TMC.2006.175 - [Similar pages](#)

[PDF] High-level synthesis for low power based on network flow method ...

File Format: PDF/Adobe Acrobat

and where is **source** and **sink** of the **network**. The **nodes**. other than the **source** and **sink** For each of the **connected components** in a conflict graph with ...

ieeexplore.ieee.org/iel5/92/27383/01218211.pdf - [Similar pages](#)

[PDF] Lifetime Maximization for Multicasting in Energy-Constrained ...

File Format: PDF/Adobe Acrobat

and by specifying the **source** and **sink nodes**. In this case,. the total number ... duces to finding a maximum **flow** in a **network** and is thus solv- ...

ieeexplore.ieee.org/iel5/49/30029/01374964.pdf - [Similar pages](#)

[[More results from ieeexplore.ieee.org](#)]

[PDF] Implementation and Performance of an Integrated OCaml-Based Active ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

framework developed to help active **network nodes** **control** the services **Component Object Model (COM)** [22] as a framework in which to define the OSKit's ...

www.itc.ku.edu/publications/documents/Shankar2003_19740-07%20Shankar.pdf -

[Similar pages](#)

[PS] A Compiler Analysis of Interprocedural Data Communication

File Format: Adobe PostScript - [View as Text](#)

cess a procedure which is in a **strongly-connected-component** **source node** and **sink node**, and we set the capacity of each. edge as 1. ...

www.cs.purdue.edu/homes/li/draft/SC03.ps - [Similar pages](#)

[PDF] Energy Efficiency in Wireless Sensor Networks: A Utility-Based ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

component and concurrency **model** and all the low-level. features necessary for
accessing ... **source node** initiates a data-flow towards the **sink** which is ...
www.ew2007.org/papers/1569014800.pdf - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

flow network model source node sink node str

Search

Advanced Search
PreferencesWeb Results 1 - 10 of about 71,400 for flow network model source node sink node strongly connected comWhat's different about multiprocessor software? (Part 2)

The **weight** of a cutset is the **cost** of an assignment of the **nodes** to the two ... (A **strongly connected component** is a **source SCC** if any **edge** whose **sink** is in ...

www.embedded.com/shared/printableArticle.jhtml?articleID=199000001 - 34k -

[Cached](#) - [Similar pages](#)

Apparatus and method for automatically parallelizing network ...

In one embodiment, **strongly connected components** (SSC) **nodes** of CFG 420 of FIG. ...

Flow network model includes a unique **source node** and a unique **sink node** ...

www.freepatentsonline.com/20050108696.html - 60k - [Cached](#) - [Similar pages](#)

[PDF] Automatically Partitioning Packet Processing Applications for ...

File Format: PDF/Adobe Acrobat

In addition to the unique **source** and **sink nodes** (step 1.6.1) and ... a **flow network** $N = (V, E)$, a **weight** function W for each **node** in ...

portal.acm.org/ft_gateway.cfm?id=1065039&type=pdf - [Similar pages](#)

[PDF] Page 1 10 Graph Algorithms The graph representations and traversal ...

File Format: PDF/Adobe Acrobat

in the same **strongly connected component**. Thus we can shrink (contract) a **sink node** t which is **connected** to every vertex in R by an **edge** of **weight** 1. ...

www.springerlink.com/index/p055254m27733036.pdf - [Similar pages](#)

Minimizing Nonsubmodular Functions with Graph Cuts—A Review

In addition, there are two special **nodes**—**source** s and **sink** t ; they are Add **edge**

$(t \rightarrow s)$ to A . Compute **strongly connected components** in G , ...

doi.ieeeecomputersociety.org/10.1109/TPAMI.2007.1031 - [Similar pages](#)

[PDF] CSE 331, Summer 2002, Lecture #13 (6/14/02)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(a) A **strongly connected component** of a graph is a subgraph in which all (a)

Problem: given a **flow network** $N(V, E)$ with **source** s and **sink** t and its ...

www.cse.msu.edu/~lanejohn/class/331/lectures/lecture13.pdf - [Similar pages](#)

Abstracts for the IMA Workshop on Network Management and Design ...

If **edge**-capacities are constant, and **flow** is conserved at each **node**, ... to be routed on a small number of **node**-disjoint paths from its **source** to its **sink**. ...

www.ima.umn.edu/optimization/abstracts/4-7abs.html - 50k - [Cached](#) - [Similar pages](#)

[PDF] Symbolic debugging of embedded hardware and software - Computer ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

flow network. Original hypergraph consists of four **nodes**: v_1 , v_2 , v_3 , and v_4 , into a set of **strongly connected components** (SCCs) using the ...

research.microsoft.com/users/darkok/papers/TCAD-symbolic.pdf - [Similar pages](#)

[PDF] Minimizing non-submodular functions with graph cuts – a review

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Add **edge** $(t \rightarrow s)$ to A . • Compute **strongly connected components** in G , contract them to single **nodes**. • Run the topological sort algorithm on the obtained ...

research.microsoft.com/~carrot/publications_files/paper_PAMI07-QPBOMRF.pdf -

[Similar pages](#)

GRAPH THEORY

A **2-connected component** (sometimes called a block) of a graph G is a maximal A

flow of the **network** associates a **weight** $f(e)$ with each **edge** e such that, ...

tardis.union.edu/~hemmendd/Encyc/Articles/Graphtheory/graph.art.html - 27k -

[Cached](#) - [Similar pages](#)